





7W LED module for MR16/GU10 downlight ring - 45° - CRI 90

LED Module with excellent performance and quality. Ideal for replacing GU10 or MR16 bulbs, with energy savings of over 85%. It incorporates a 7W Cree LED chip and an external driver that ensure a long lifespan for the fixture, allowing for intensive use. Available in warm white (3000K) and neutral white (4000K).



Product data

| | |
|-------------------------|--------------------------------------|
| Light temperature | 2700°K (use), 4000°K (use) |
| Opening angle (°) | 45 |
| Certs | CE, ROHS |
| Energy efficiency class | F |
| CRI | 90-95 |
| Dimensions (mm) LxWxH | Ø 50 x 41 |
| Dimmable | No |
| Driver | External |
| Guarantee | According to legal warranty: 3 years |
| IP | IP20 |
| Kelvin (K) | 3000, 4000 |
| Lumens (Lm) | 650 |
| Assembly | Recessed |
| Nominal Voltage (V) | 220 - 240 V AC |
| Type of LED | Chip CREE |
| Key | Warm white, Neutral white |
| Outdoor Use | No |
| Recommended Use | Museums - Galleries |
| Service life (h) | 25,000 |



Product variants

Reference

Attributes

B710-270

Light temperature : 2700°K (use)



B710-BN

Light temperature : 4000°K (use)

