





Pack of 2 slim LED panels 120X60cm - PHILIPS Driver - 72W - UGR19

PACK x 2 recessed LED panels 120x60cm - PHILIPS driver. The panels feature a sleek, ultra-slim design and cutting-edge technology that allows them to provide powerful, uniform lighting in 3 shades: warm white (3000K), neutral white (4000K), and cool white (6000K). They are high-efficiency fixtures that have a power of 72W and a luminous flux of 5900 lumens. They incorporate a micro-prismatic diffuser that ensures glare-free lighting (UGR<19), ideal for offices, conference rooms, schools, or hospitals. Thanks to their high color reproduction index (CRI>80), they reproduce colors very similarly to natural light. The panels can be mounted in false ceilings or directly embedded in plasterboard using a recessed frame (not included).



Product data

Light temperature	${\sf Cold\ White\ (DO\ NOT\ USE), Warm\ White\ , Neutral\ White}$
Opening angle (°)	160
Certs	CE, ROHS
Energy efficiency class	A+ (2021)
CRI	80-85
LED Panel Dimensions	120x60
Driver	Philips
Frequency (Hz)	50 - 60
Frequency of Use	Intensive
Guarantee	According to legal warranty: 3 years
IP	IP20
Kelvin (K)	3000, 4000, 6000
Lumens (Lm)	5900
Assembly	Recessed
Orientable	No
Power (W)	72
Temperature range	-18°F~+55°F
Sensor	No
Nominal Voltage (V)	220 - 240 V AC
Type of LED	SMD 4014
Key	Warm white, Cold white, Neutral white
UGR	UGR19





Outdoor UseNoRecommended UseHotels, Offices, Commerce, ParkingService life (h)25,000

Product variants

Reference Attributes



K5234-BF-2 Light temperature : Cold White (DO NOT USE)



K5234-BN-2 Light temperature : Neutral White