

11W/M
LED
IP67
110
lm/W


Flexible LED neon 24V DC - 12x12mm - 10 meters - Complete kit - 11W/m - IP67 - Vertical curvature

Our flexible LED neon is the best option for achieving high-impact decorative lighting. It adapts to various surfaces, providing enormous versatility to bring any design to life. Thanks to its high LED chip density (120 chips/m) and a luminous intensity of 1100 lm/m, it ensures powerful, stable, and uniform lighting. Its curved design gives it a light emission angle of 180°, superior to other neon lights. It emits light from its upper face, allowing rotation in the vertical plane. It is made with a silicone tube that is resistant to UV radiation and also has an IP67 protection rating, which allows for outdoor use and ensures its durability. Available in 4 shades: warm white (2800K), neutral white (4000K), cool white (6000K), and in blue color. **The kit includes 20 staples + 4 caps (2 initial and 2 final)**







Product data

Light temperature	3000°K, 4000°K, 6000K, Amber, Blue, Green, Red ()
Beam angle (°)	180
Certs	CE, ROHS
CRI	80-85
Cut distance (mm)	50
Warranty	According to legal warranty: 3 years
IP	IP67
Kelvin (K)	4000, 6000, 2800
Material	Silicone
# Chips per meter	120
Power/m (W/m)	11
Nominal Voltage (V)	24V DC
Type of LED	SMD 2835
Key	Warm white, Cold white, Neutral white, Blue
Outdoor Use	Yes



Product variants

Reference	Attributes	
N1212-10M-AZ	Light temperature : Blue	 <div> <div>11W/M</div> <div>LED</div> <div>24V</div> <div>300</div> </div>
N1212-10M-BC	Light temperature : 3000°K	 <div> <div>11W/M</div> <div>LED</div> <div>24V</div> <div>300</div> </div>
N1212-10M-BF	Light temperature : 6000K	 <div> <div>11W/M</div> <div>LED</div> <div>24V</div> <div>300</div> </div>
N1212-10M-BN	Light temperature : 4000°K	 <div> <div>11W/M</div> <div>LED</div> <div>24V</div> <div>300</div> </div>