




Recessed/trimless linear LED spotlight for plasterboard - 12W - UGR18 - CRI90 - White

Recessed LED spotlight, integrable into drywall, with a power of 12W. Provides an aesthetic finish, with no visible edges or flanges. Includes Osram LED chips and KeGu driver. It stands out for its low glare index (UGR<18) and its high color rendering index (CRI>90). Available in black and warm white tones (2700K) and neutral white (4000K). **
5-Year Warranty **



Product data

Housing color	White, Black
Light temperature	2700°K, 4000°K
Certs	CE, ROHS
Energy efficiency class	F
CRI	90-95
Dimensions (mm) LxWxH	145 X 91 X 49
Cutting dimensions (mm)	145 times 41
Dimmable	No
Driver	External, KeGu
Form	Linear
Guarantee	5 years
IP	IP20
Kelvin (K)	4000, 2700
Lumens (Lm)	warm white: 715lm - neutral white: 921lm
Material	Aluminum
Material diffuser	Polycarbonate
Assembly	Integration
Orientable	No
Power (W)	12
Sensor	No
Nominal Voltage (V)	220 - 240 V AC
Type of LED	OSRAM Chip
Key	Cold white, Extra warm white
UGR	UGR18
Outdoor Use	No
$Recommended \ Use Dining \ room, Bedrooms, Hotels, Kitchens, Commerce, Living \ room, Museums-Galleries, Fashion \ and \ retail, Furniture$	





Product variants		
Reference	Attributes	
B1219-12W-B-270	Housing color: White, Light temperature : 2700°K	
B1219-12W-B-BN	Housing color: White, Light temperature : 4000°K	•
B1219-12W-N-270	Housing color: Black, Light temperature : 2700°K	
		À
B1219-12W-N-BN	Housing color: Black, Light temperature : 4000°K	