









KIT Aro round downlight Ø93mm + LED Module MR16 5W

Complete lighting kit consisting of: Fixed recessed ring \emptyset 93mm with low UGR - White color GU10 LED Bulb 5.4W - Available in 3 shades: warm white, neutral, and cool GU10 lamp holders made of pre-wired ceramic.



Product data

 $Housing \, color White, \, Black, \, White \, and \, Gold, \, White \, and \, Silver, \, Black \, and \, White \, (use), \, White \, and \, Red \, (use)$ $Light \, temperature \, 3000^{\circ}K, \, 4000^{\circ}K, \, 6000K$





Product variants

Reference Attributes



K930-85-R-B-B1355-BC

Housing color: White, Light temperature : 3000°K



| Reference | Attributes | |
|-----------------------|--|----|
| | | |
| | | |
| K930-85-R-B-B1355-BF | Housing color: White, Light temperature : 6000K | |
| K930-85-R-B-B1355-BN | Housing color: White, Light temperature : 4000°K | |
| | | ıl |
| K930-85-R-BD-B1355-BC | Housing color: White and Gold, Light temperature : 3000°K | |
| K930-85-R-BD-B1355-BF | Housing color: White and Gold, Light temperature : 6000K | |
| | | 7 |
| K930-85-R-BD-B1355-BN | Housing color: White and Gold, Light temperature : 4000°K | |
| (Not 65 N 55 52655 EN | rousing cool. White this color, Eight temperature 1.4000 K | |
| K930-85-R-BN-B1355-BC | Housing color: Black and White (use), Light temperature : 3000°K | |
| | | |
| K930-85-R-BN-B1355-BF | Housing color: Black and White (use), Light temperature : 6000K | |
| | 5 | |



| Reference | Attributes | |
|-----------------------|---|--|
| K930-85-R-BN-B1355-BN | Housing color: Black and White (use), Light temperature : 4000°K | |
| | | |
| K930-85-R-BP-B1355-BC | Housing color: White and Silver, Light temperature : 3000°K | |
| K930-85-R-BP-B1355-BF | Housing color: White and Silver, Light temperature : 6000K | |
| K930-85-R-BP-B1355-BN | Housing color: White and Silver, Light temperature : $4000^\circ K$ | |
| K930-85-R-BR-B1355-BC | Housing color: White and Red (use), Light temperature : 3000°K | |
| K930-85-R-BR-B1355-BF | Housing color: White and Red (use), Light temperature : 6000K | |
| K930-85-R-BR-B1355-BN | Housing color: White and Red (use), Light temperature : 4000°K | |
| K930-85-R-N-B1355-BC | Housing color: Black, Light temperature : 3000°K | |
| | | |



Reference Attributes

K930-85-R-N-B1355-BF Housing color: Black, Light temperature : 6000K

K930-85-R-N-B1355-BN Housing color: Black, Light temperature : 4000°K