



Recessed downlight ring Ø90mm (white/grey) + 5.4W GU10 Bulb + Socket

Complete lighting kit consisting of: Recessed light Ø90mm with low UGR - Adjustable - White and champagne color. 5.4W GU10 LED Bulb - Available in 3 shades: warm white, neutral, and cool GU10 lamp holders of pre-wired ceramic.



Product data

Housing color	White and champagne (use), Black and champagne (use), Black and White (use), Gray and White (use), Gray and Black (use)
Light temperature	2700°K, 4000°K, 6000K
Cap	GU10
Certs	CE, ROHS
Dimensions (mm) LxWxH	Ø90x29
Cutting dimensions (mm)	Ø75, Ø75
Efficiency (Lm/w)	130
IP	IP20
Kelvin (K)	4000, 6000, 2700
Kit	Yes
Material	Polycarbonate, Lightbulb: Glass, Bulb: Glass
Material diffuser	Polycarbonate
Assembly	Recessed
Orientable	Yes
Power (W)	5.4
Key	Warm white, Cold white, Neutral white
Outdoor Use	No
Recommended Use	Dining room, Hotels, Kitchens, Living room
UGR	UGR18



Product variants

Reference

Attributes

K920-CB-BC

Housing color: White and champagne (use), Light temperature : 2700°K



Reference	Attributes	
K920-CB-BF	Housing color: White and champagne (use), Light temperature : 6000K	
K920-CB-BN	Housing color: White and champagne (use), Light temperature : 4000°K	
K920-CN-BC	Housing color: Black and champagne (use), Light temperature : 2700°K	
K920-CN-BF	Housing color: Black and champagne (use), Light temperature : 6000K	
K920-CN-BN	Housing color: Black and champagne (use), Light temperature : 4000°K	
K920-GB-BC	Housing color: Gray and White (use), Light temperature : 2700°K	
K920-GB-BF	Housing color: Gray and White (use), Light temperature : 6000K	
K920-GB-BN	Housing color: Gray and White (use), Light temperature : 4000°K	

Reference	Attributes	
K920-GN-BC	Housing color: Gray and Black (use), Light temperature : 2700°K	
K920-GN-BF	Housing color: Gray and Black (use), Light temperature : 6000K	
K920-GN-BN	Housing color: Gray and Black (use), Light temperature : 4000°K	
K920-NB-BC	Housing color: Black and White (use), Light temperature : 2700°K	
K920-NB-BF	Housing color: Black and White (use), Light temperature : 6000K	
K920-NB-BN	Housing color: Black and White (use), Light temperature : 4000°K	