


## KIT - Recessed downlight ring Ø110mm (black) + 5.4W GU10 Bulb + Socket

Complete lighting kit composed of: Recessed round light Ø110mm - Adjustable - White color. GU10 LED Bulb 5.4W  
- Available in 3 shades: warm white, neutral, and cool GU10 lamp holder made of pre-wired ceramic.



### Product data

Housing color	White (use), Black (use), Silver (to use)
Light temperature	3000°K, 4000°K, 6000K
Opening angle (°)	100
Cap	GU10
Certs	CE, ROHS
Dimensions (mm) LxWxH	Ø110x27
Cutting dimensions (mm)	Ø80
Efficiency (Lm/w)	130
Guarantee	According to legal warranty: 3 years
IP	IP20
Kelvin (K)	4000, 6000, 2700
Kit	Yes
Material	Polycarbonate, Lightbulb: Glass
Assembly	Recessed
Orientable	No
Power (W)	5.4
Key	Warm white, Cold white, Neutral white
Outdoor Use	No
Recommended Use	Dining room, Bedrooms, Hotels, Living room



### Product variants

Reference

Attributes

Reference	Attributes	
K986-B-BC	Housing color: White (use), Light temperature : 3000°K	
K986-B-BF	Housing color: White (use), Light temperature : 6000K	
K986-B-BN	Housing color: White (use), Light temperature : 4000°K	
K986-N-BC	Housing color: Black (use), Light temperature : 3000°K	
K986-N-BF	Housing color: Black (use), Light temperature : 6000K	
K986-N-BN	Housing color: Black (use), Light temperature : 4000°K	
K986-P-BC	Housing color: Silver (to use), Light temperature : 3000°K	

*Reference*

*Attributes*

K986-P-BF

Housing color: Silver (to use), Light temperature : 6000K



K986-P-BN

Housing color: Silver (to use), Light temperature : 4000°K

