


KIT - Recessed downlight ring Ø110mm (black) + 5.4W GU10 Bulb + Socket

Complete lighting kit composed of: Recessed round light Ø110mm - Adjustable - White color. GU10 LED Bulb 5.4W
- Available in 3 shades: warm white, neutral, and cool GU10 lamp holder made of pre-wired ceramic.



Product data

Housing color	White (use), Black (use), Silver (to use)
Light temperature	3000°K (use), 4000°K (use), 6000K (use)
Opening angle (°)	100
Cap	GU10
Certs	CE, ROHS
Dimensions (mm) LxWxH	Ø110x27
Cutting dimensions (mm)	Ø80
Efficiency (Lm/w)	130
Guarantee	According to legal warranty: 3 years
IP	IP20
Kelvin (K)	4000, 6000, 2700
Kit	Yes
Material	Polycarbonate, Lightbulb: Glass
Assembly	Recessed
Orientable	No
Power (W)	5.4
Key	Warm white, Cold white, Neutral white
Outdoor Use	No
Recommended Use	Dining room, Bedrooms, Hotels, Living room





Product variants

Reference

Attributes

Reference	Attributes	
K986-B-BC	Housing color: White (use), Light temperature : 3000°K (use)	
K986-B-BF	Housing color: White (use), Light temperature : 6000K (use)	
K986-B-BN	Housing color: White (use), Light temperature : 4000°K (use)	
K986-N-BC	Housing color: Black (use), Light temperature : 3000°K (use)	
K986-N-BF	Housing color: Black (use), Light temperature : 6000K (use)	
K986-N-BN	Housing color: Black (use), Light temperature : 4000°K (use)	
K986-P-BC	Housing color: Silver (to use), Light temperature : 3000°K (use)	

Reference	Attributes	
		
K986-P-BF	Housing color: Silver (to use), Light temperature : 6000K (use)	
		
K986-P-BN	Housing color: Silver (to use), Light temperature : 4000°K (use)	